



Amoco Chemicals Corporation

Intra-Company Correspondence

File:

Subject: Polypropylene - Talc Grades

November 21, 1975

To: Gene Hauer
New Castle

At your request I have chronologically listed the talc grades that have been used at the New Castle polypropylene plant. Some of the listings are purely estimates on my part and in those cases I have added a question mark as an indication.

<u>Year</u>	<u>Talc Grade</u>	<u>Producer</u>	<u>Asbestos Content as Tremolite</u>
1962 - 1970	Desertalc 57?	Johns Manville	~30%?
1970 - Present	Polytal 4615	Whittaker, Clark and Daniels	5-10%
1973 - 1974	Westal 202	R. T. Vanderbilt	~15%
1973 - 1974?	Desertalc 54	Johns-Manville	~30%

Two asbestos-free talcs which have been tried in small quantities (three 20,000 pound EPO's) are Pfizer "CP38-33" and United Sierra "Furnace Creek". They were both rejected due to poor color. We have recently found an additive which improves the color of CP38-33 so that we expect to begin using this asbestos-free talc early in 1976.

J. Zechinati
J. Zechinati
JZ/ja
CC: J. C. Mohan
Central Files

PLAINTIFF'S EXHIBIT
9
8-23-00 WLB

RECEIVED

DEC 1975

GENE L. HAUER
INDUSTRIAL RELATIONS DEPT.

0005

PLAINTIFF'S EXHIBIT
WCD-62